




POLYMER MODIFIED
ADDITIVES



TROWEL
APPLICATION



EASY
TO APPLY



gluey®


build your concept

Tile Adhesives | Grouts | Epoxy | BlockJointing | Waterproofing



gluey[®]

build your concept!



ABOUT US:

Glutinous is considered as market leading supplier of construction chemical products in India. Glutinous is ISO 9001-2015 certified company and it is fast growing company in the field of construction chemicals with brand name of **gluey**. Our philosophy is MAKE IN INDIA. Our vision is to conduct the business to support the needs of future generation of a happy life. The unique products are tailor-made for Indian climate condition.



VALUES

Customer Delight

A commitment to surpass our customer expectations.

Leadership by example

A commitment to set standards for our business and transactions based on mutual trust.

Integrity and Transparency

A commitment to be ethical, sincere and open in our dealings.


Pursuit of Excellence

A commitment to strive relentlessly, to constantly improve ourselves our teams, our services and products so as to become the best-in-class.

gluey grey 50 (GCT050) tile adhesive



Packing
20 kg.



PRODUCT DETAILS

gluey grey 50 GCT050 is a Grey Cement base Tile Adhesive. Recommended for fixing Ceramic tiles and cement tiles for all Floor/wall Tile fixing applications on concrete substrate.

FEATURE

High Durability | Suitable for Interior Wall | No Shrinkage | Saves Time Increase Productive Consistency Work Quality

SHELF LIFE & STORAGE


Shelf life is 12 months from the date of manufacturing in unopened condition. Store in a cool & dry place.

COVERAGE

Approx 3-4 sq.ft./kg using notch trowel for a thin-bed of 3mm.

gluey grey 50 (GVT050)

tile adhesive



PRODUCT DETAILS

gluey grey 50 GVT050 is a Grey Cement base Tile Adhesive. Recommended for fixing Vitrified tiles for all Floor/wall Tile fixing applications on concrete substrate.

FEATURE

High Durability | Suitable for Interior / Exterior Wall | No Shrinkage | Saves Time Increase Productive Consistency Work Quality

SHELF LIFE & STORAGE

Shelf life is 12 months from the date of manufacturing in unopened condition. Store in a cool & dry place.

COVERAGE

Approx 3-4 sq.ft./kg using notch trowel for a thin-bed of 3mm.

gluey grey 50 (GWT050) tile adhesive



PRODUCT DETAILS

gluey grey 50 GWT050 is a White Cement base Tile Adhesive. Recommended for fixing White Ceramic/Vitrified Floor Tile fixing applications on concrete substrate.

FEATURE

High Durability | Suitable for Interior Wall | No Shrinkage | Saves Time Increase Productive Consistency Work Quality


SHELF LIFE & STORAGE

Shelf life is 12 months from the date of manufacturing in unopened condition. Store in a cool & dry place.

COVERAGE

Approx 3-4 sqft/kg using notch trowel for a thin-bed of 3mm.

gluey grey 100 GLF100 tile adhesive



PRODUCT DETAILS

gluey grey 100 GLF100 Specially designed Tile Adhesive for large size natural stone like varieties of Granite and other stones for vertical and horizontal application over concrete and plastered surface for vertical & Horizontal application.

FEATURE

High Durability | Suitable for Interior / Exterior Wall | No Shrinkage | Saves Time Increase Productive Consistency Work Quality


SHELF LIFE & STORAGE

Shelf life is 12 months from the date of manufacturing in unopened condition. Store in a cool & dry place.

COVERAGE

Approx 2 sq.ft./kg using notch trowel for a thick-bed of 6mm.

gluey grey 100 GSP100 tile adhesive



PRODUCT DETAILS

gluey grey GSP100 Specially designed Tile Adhesive for Swimming Pools and other wet area quick setting times, which help in faster construction on cementitious substrates and suitable under wet and dry condition including swimming pool and fountains.

FEATURE

High Durability | Saves Time Increase Productive | Consistency Work Quality


SHELF LIFE & STORAGE

Shelf life is 12 months from the date of manufacturing in unopened condition. Store in a cool & dry place.

COVERAGE

Approx 3-4 sq.ft./kg using notch trowel for a thin-bed of 3mm.

gluey grey 100 (GWT100) tile adhesive



PRODUCT DETAILS

gluey grey 100 GWT100 White is a Premium Cement Base Tile Adhesive for Varieties of Granite, Swimming Pool Tile fixing application on concrete substrate.

FEATURE

High Durability | Saves Time Increase Productive | Consistency Work Quality

SHELF LIFE & STORAGE

Shelf life is 12 months from the date of manufacturing in unopened condition. Store in a cool & dry place.

COVERAGE

Approx 3-4 sq.ft./kg using notch trowel for a thin-bed of 3mm.

Surface Preparation

Remove all deteriorated materials, dirt, oil, grease and other bond-inhibiting material from the surface.



Wet the surface with clean water. Substrate surface should be dry and free of water prior to application.



Mixing Procedure

Add **gluey** Tile Fix gradually to the measured quantity of water, about 4-5 liters per 20 kg bag. Mix until a smooth uniform, homogeneous consistency is achieved.



Always use a notch trowel for the mortar applications. Fix the tiles within the stipulated open time.



Any adjustment of tiles should be done within 15 minutes of installation.



Allow the mixed tile mortar to stand for 5 minutes for the additives to dissolve. Mix again and apply.

Precaution

This product contains cement and contact with skin may cause irritation. It is advisable to wear a filter mask and protective clothing. In case of eye contact wash copiously with water and if irritation persists seek medical treatment.

gluey grout



Colors Available



GREEN



WHITE



D. CHOCOLATE BROWN



IVORY



BROWN



PINK



AQUA BLUE



TR. BLACK



SL. GREY



YELLOW

PRODUCT DETAILS


A high quality fine, polymer modified, water-resistant, cement - based powder grout designed for grouting glaze wall tiles, mosaics, vitrified & fully vitrified tiles, floor tiles, industrial floor tiles etc. (where chemical resistance hygienic and sterile is important use EPOXY GROUT)

FEATURE

High Durability | Saves Time Increase Productive Consistency Work Quality

SHELF LIFE & STORAGE

Shelf life is 12 months from the date of manufacturing in unopened condition. Store in a cool & dry place.



glutinous

build your concept

Regd. Office : 701, Ganga Heights, Tonk Road
Bapu Nagar, Jaipur-302015 (Raj.)

Toll Free No.: 8209200346

✉ customercare@gluey.in

🌐 www.gluey.in



एक अच्छा व्यवसाय की ओर



KEEP YOUR CITY
CLEAN & GREEN